AD640121

Distribution of this
Document is Unlimited

Technical Report

AD 640 121

MECHANIZATION STUDY
OF THE TECHNICAL LIBRARY,
U. S. ARMY MAP SERVICE,
WASHINGTON, D. C.

Submitted to

Defense Supply Agency
Defense Documentation Center
Cameron Station, Virginia

bу

Booz, Allen Applied Research Inc. 4733 Bethesda Avenue Bethesda, Maryland 20014

Under Contract No. DSA-7-15489

BAARINC Report No. 914-1-26

September 1966



BOOZ · ALLEN APPLIED RESEARCH INC.

WASHINGTON
CLEVELAND
CHICAGO
LOS ANGELES

20040825082

Best Available Copy

ABSTRACT

The Army Map Service (AMS) Library uses a Univac 1004 computer to produce map accessions lists and bibliographies from punched cards containing printed text. Also, data on a Map Reproduction (Repromat) File are punched onto cards and transferred to magnetic tape on a Honeywell H-800 computer. This tape is used to produce a high-speed printout of the Repromat Tabulation semiannually and a monthly listing to update the semiannual tabulation. It is felt that the mechanized Repromat File system should be modified in a number of ways for greater efficiency.

TABLE OF CONTENTS

•			Page Number
	AB	STRACT	ii
	INI	DEX OF FIGURES	vi
I.	SUI	MMARY	1
II.	ΜE	CHANIZATION	3
	1.	Chronology	3
	2.	Description of Maps Processes	4
		(1) Input Procedures	4
		(2) Outputs	4
	3.	Description of Map Reproduction Tabulation Processes	6
		(1) Input Procedures	8
		(2) Output	8
	4.	Description of Books Processes	9
	5.	Description of Periodicals Processes	10
		(1) Input Procedures	10
		(2) Output	10
	6.	Major Problems	11

,			Page Number
III.	PR	OGRAM SYSTEM DATA	13
	1.	File	14
	2.	Programs	18
IV.	EQ U	IPMENT AND COSTS	22
	1.	Repromat File	22
	2.	Map File	23

APPENDICES

- A. ORGANIZATION CHARTS
- B. MAPS PROCESSING
- C. MAP SEARCH PRINTOUT
- D. INPUT PROCEDURES--MAP REPRODUCTION TABULATION
- E. MAP REPRODUCTION TABULATION PRINTOUT FORMAT AND EXPLANATION
- F. BOOKS PROCESSING
- G. PERIODICALS PROCESSING

INDEX OF FIGURES

Figure				Page <u>Number</u>	
1	Library Map Reproduction Material Tabulation		7	i di	
2	Program SystemMap Reproduction Tabulation		15-	16	

I. SUMMARY

Mechanization of the Army Map Service (AMS) Library began in 1945. The original semiautomated system consisted of a card punch, a sorter, and a tabulator and employed 90-column punched cards. At present, these punched cards, containing printed text, make up several of the Library's card files and are used manually for reference purposes. These cards are also used to produce accessions lists and bibliographies, utilizing a Univac 1004 computer.

In 1963, data on the Map Reproduction File (Repromat File) were punched onto 80-column cards and transferred to magnetic tape on the Honeywell H-800 computer system. This tape is used to produce a high-speed printout of the Repromat Tabulation semiannually and a monthly listing to update the semiannual tabulation.

The Repromat File consists of more than 120,000 map sets.

There is one set of repromat per map sheet; each set averages 10 pieces of photographic film. The films that make up the Repromat File depict mapping features and are used primarily to make lithographic press plates for the production of maps. The map collection contains some two million maps with an annual increase of approximately

21,000. The Library's book collection consists of approximately 75,000 books with an annual growth of 9,000 volumes. The collection is cataloged by using the Library of Congress classification scheme and a modified 3 x 5 card format. Periodical subscriptions number 1,500 with no noticeable increase, since cancelled subscriptions usually equal the number of new titles added per year. The Document Library collection, although new, numbers 25,000 to 30,000 items with an expected annual growth of 22,000.

II. MECHANIZATION

1. CHRONOLOGY

In 1945, AMS completed the conversion of all maps to a 90-column punched card catalog system.

In 1959, periodical titles were transferred to punched cards which were used to mechanically produce a current list of periodicals received at AMS.

In 1963, a Command Improvement Plan recommended the study of automatic data processing applications to library-type operations, beginning with the Repromat File. A target date of 1964 was established for implementation of recommendations resulting from this study. The Department of Computer Services feasibility study was completed in August, and conversion of the Repromat File to magnetic tape was begun. The system began operation in the fall.

In 1965, AMS began punching onto cards data on books and reports for a Master Authority File.

2. DESCRIPTION OF MAPS PROCESSES

(1) Input Procedures

- 1. One to ten copies of maps are received; one copy goes to the Reproduction Unit for inclusion in the Repromat File; outside distribution is made (if required), and the Cataloging Section receives up to five copies.
- 2. Maps are separated by area and placed in catalogers' bins. (Three geographical areas are involved.)
- 3. Catalogers pick up, check for duplicates, authorities, etc.
- 4. Data sheets are completed (see Appendix B) and are sent to the Accessioning Unit.
- 5. Accessioning Unit adds accession number to worksheets and maps and forwards worksheets to Computer Services. (Maps are forwarded to the files.)
- 6. Cards are keypunched and interpreted in Computer Services and are returned to the Records Unit.

(2) Outputs

Punched Cards

Punched cards and worksheets are returned from Computer Services and proofread. Cards are filed in one or more of the following files: Area; City Plan Area; Authority; Special Service Negative, Army Map Depository (copy of cards on maps going to Depository); Change of Call Number; Scale; City Plan; and Map Series.

Punched cards are prepared in various colors to indicate the type of card and the file for which each card is intended. The cards are punched, using an alphanumeric code. The plain text translation of the punch code is simultaneously printed on the cards. This is done to allow the cards to be used for manual searches. Designations are preprinted on the cards to show the kind of information that must be entered into each field. Reference to code lists is necessary to interpret most of the information, but frequent users of the files soon become familiar with the codes for areas, subjects, and authorities of most interest to them.

Accessions Lists

Every two weeks an accessions list is prepared from the punched cards for new maps. This is distributed to AMS personnel and outside agencies on the distribution list.


Map Searches

Authorized users may request bibliography searches either verbally or in writing. Cards are pulled by the Library staff and are sent to Computer Services, where a printout is made. All copies of the printout are forwarded to the requester. Appendix C is a copy of a partial printout of a search for all available maps on Thailand.

3. <u>DESCRIPTION OF MAP REPRODUCTION TABULATION</u> PROCESSES

The AMS Repromat Tabulation provides a current list of all Repromats held in the Library. A complete tabulation is produced semiannually that lists all known sheets of a map series and indicates those for which AMS holds Repromats. In addition, a listing updating the basic tabulation is produced monthly.

The mechanization of the Repromat File is described in the flow diagram of Figure 1.



- 1. Repro
- 2. MAD
- 3. D/GAD
- 4. Library Hdqtrs
- 5. Collection
- 6. AMDEP
- 7. P & P
- 8. USAREUR
- 9. USAMSFE

- 1. No card type designated
- 2. Action code undefined
- 3. Item to be deleted is not in file.
- 4. Item to be updated is not in file.

FIGURE 1
Library Map Reproduction Material
Tabulation

(1) Input Procedures

Input data sheets are prepared in the Library, containing all the data that are to be entered into the file. Copies of the data sheets and instructions for their completion are shown in Appendix D. The input data are then forwarded to Computer Services, where 80-column cards are punched directly from the data sheets, since the card format and data sheet format are identical.

The punched cards are then processed on the H-800 computer to produce a magnetic tape. The data are first sorted by series number and sheet number and then are collated with the Master Repromat File. An error listing is produced for illogical items and cards that have omissions. The error listing is sent back to the Library so that corrected cards may be produced. A printout for those map series that have been modified is then produced and is sent to the Library for distribution.

(2) Output

The output data consists of an 80-column printout of those map series that have been modified. Separate pages are produced for each map series so that the initial printout may be updated by replacement of the corresponding page. Appendix E contains a

sample of the printout format, together with an explanation of the column headings and codes used. Because of the number of copies required, the printout must be run off twice.

4. DESCRIPTION OF BOOKS PROCESSES

Mechanization for books is limited to the Authority File, which is maintained on punched cards for the present. Beginning with the "A's" and proceeding through the alphabetical files, author and source authorities are being entered on worksheets. Approximately 1,000 entries have been processed in the "A's."

Worksheets are completed as follows (see Appendix F for samples of worksheets):

<u>Label</u>	Columns
Code number of authority	1-6
Country abbreviation	8-9
Title or name of authority	12-59
Cross-reference	62-71
Alphabetizing code	73-79

Worksheets are forwarded to Computer Services for keypunching onto 80-column cards. No formal printout of this file has been made.

5. <u>DESCRIPTION OF PERIODICALS PROCESSES</u>

(1) Input Procedures

- 1. New periodicals are received in the Library.
- 2. Worksheets are completed as follows (see Appendix G-1 for sample of worksheet):

Lat	<u>oel</u>	Columns
Title		1-45
Alphabeti	zing code	46-51
Texts:	l st 2nd	5 2- 53 55-56
Frequency		58
Retention		60
Areas:	l st 2nd	62-65 67-70
Subject co	odes:	
	lst	71-72
	2nd	73-74
Subjects written or abbreviated (up to three)		75-89

- 3. Subjects are selected from a list of 99 items.
- 4. Worksheets are forwarded to Computer Services for keypunching.

(2) Output

A list of periodicals currently received in AMS is issued once a year in two parts. The first part is alphabetical; the

second is by subject (see Appendix G-2 to G-4 for examples and instructions). The most recent issue was printed from the punched cards utilizing the Univac 1004 computer. In the future, this file will be transferred to magnetic tape.

6. MAJOR PROBLEMS

As a result of the experience gained since 1963, it is now felt that several areas of the mechanized Repromat File System should be modified. Examples of those areas for which modifications are being considered follow.

The tabulation for each series includes sheets that are not in the inventory. This was done to indicate the contents of the complete map series. It has proved to be a problem from the standpoint of added volume and increased time required for the monthly update.

Any action within a series of maps gives a complete revision of each series. This saves time during the monthly manual correction of the tabulation by allowing a one-for-one page replacement. However, it is primarily responsible for the long printout time required on the high-speed printer.

Printouts of a series include an asterisk to indicate that some action has been taken on an item (i. e., additions, deletions, revisions);

however, no indication of the type of action is given. This is especially troublesome in the case of deletions.

More identifying information is included in map series printouts than is needed. The map series and number of sheets would have been sufficient. (See Appendix C.)

In order to obtain a printout of an entire series, a particular sheet within the series must be identified. A program for the printout of the entire series would have been of greater benefit.

In order to cancel a series, each sheet number within that series must be identified.

A printout of a specific series can be given, but a computer search cannot be made.

Complete program documentation was not provided.

III. PROGRAM SYSTEM DATA

The Repromat File consists of photographic films that depict mapping features and that are primarily used to make lithographic press plates for the production of maps. The Library originally maintained control of the repromats by using the 90-column punched card file, which contained approximately 130,000 cards. The Repromat File was converted to magnetic tape for use on the AMS Honeywell H-800 series computer in 1963. The conversion was performed by examining and manually recataloging, on new data sheets, every item in the repromat library (120,000 repromat sets--approximately 1,200,000 film pieces). In this way, the magnetic tape file was built up without causing any inconveniences either to the Library or to the Computer Services group. The Library continued to use the 90-column card file until the magnetic tape system was placed in operation.

The computerized Repromat File is arranged by map series numbers and sheet numbers or sheet names; a new series number starts a new page. Whenever a change occurs in a series (repromat added, revised, or deleted), all pages containing the particular series are reprinted. An asterisk to the left of the sheet number or name will

identify the sheet affected. Maintenance of the basic tabulation is performed by manually substituting the new pages for the old.

The program system is depicted in the flow charts of Figure 2.

The flow charts describe the main body of the program and do not include the input, presort, and sort routines required before the start of this section of the program. The program reads and compares each item on the master and input data files; performs the necessary operations of addition, deletion, or substitution; and prepares a new master file tape and an output tape to be used for printing and replacement pages for the Repromat Tabulation.

1. FILE

The primary key in the magnetic tape file is the map series number. The secondary key is the map sheet number or sheet name. Map sheet numbers exist in a variety of forms and are more commonly used than names. (Some sheet numbers are Arabic numbers, some are Roman numerals, and others are a combination of both.) The form of a sheet number is constant within a series but may be different from one series to the next. There are approximately 1, 200 series in the file.




FIGURE 2 Program System--Map Reproduction Tabulation




FIGURE 2 (Continued)

The data entries in the file are arranged by "item". Each item contains all the information associated with a single map series number. This information is categorized into words, and there are 14 words per item. There are two possible formats for each item, as follows:

Format I

Word	Character Format	Explanation
1	SSSSSNN	
2	NNNNNNN	S's = Series number
3	NNNNNNN	N's = Sheet names or number
4	NNNNNNN	
5	SAAADDDO	S = Security, A's = Agency, D's = Data, O = Omaha
6	MMKKKKKK	M's = Material
7	KKKKKKKK	K's = Number and kind of
8	KKTTEEEE	material
9	RRRRRRRR	T's = Total, E's = Edition
10	RRRRRIA	R's = Remarks, A = Action I = Data Card Image
11 12 13	SSSSSNN NNNNNNN NNNNNNNN NNNNNNNN	Same as words 1-4 with spaces suppressed to zeros (used as sort keys)

Format II

Word	Character Format	Explanation
1 2 3 4	SSSSSNN NNNNNNNN NNNNNNNN NNNNNNNN	S's = Series Number N's = Sheet name or number
5-9 10	RRRRRRRR ZA	R's = Remarks Z = Detail card image A = Action
11 12 13 14	SSSSSNN NNNNNNNN NNNNNNNN NNNNNNNN	Same as words 1-4 with spaces suppressed to zeros (used as sort keys)

There are 17 items per record. The file identification record must not exceed 242 words in length. The tape is sorted on ascending words: 11, 12, 13, 14. Maintenance of the file involves approximately 500 cards per month. (The printout, however, will have approximately 15,000 line items.)

2. PROGRAMS

There are six major programs that may be identified within the file maintenance program. Because of the lack of complete program documentation at present, the ensuing descriptions must be general in nature.

(1) Input

This run places all punched card input data onto magnetic tape.

(2) Presort

This run rearranges the punched card input data into the word format previously indicated under the file description.

(3) Sort

A modified Honeywell H-800 sort run is employed to sort each item on the input tape in ascending order, using the keys provided by words 11-14. The items are therefore arranged by ascending series number and within each series by ascending sheet number or alphabetic characters (if sheet name is used).

(4) Collate

The collate run is the main body of the program. It compares the master file and the sorted input file; makes the necessary deletions, substitutions and additions; and forms a new master file. It also prepares an output tape to be used for printing the revised pages for the Repromat Tabulation.

(5) Error

If, during the update or collating run, a logical error is discovered (e.g., an item to be updated does not exist in the master file), an error printout will indicate the card that caused the error and will identify the error condition. The run is not stopped by these errors, and the erroneous information is disregarded by the computer.

(6) Edit

The edit run converts the format of the data on the output tape to the format required for printing. The edit or print format is as follows:

<u>Header</u>

Columns	Heading	
2-7	Series	
11-30	Sheet number or name	
38-40	Sec	
42-47	Agency	
49-52	Date	
54 - 5 5	OM	
57-5 9	Mat	
62- 86	Number and kind of sheets	
93-97	Total	
99-105	Edition	
109-115	Remarks	

Data Line--Type 1

Columns	<u>Data</u>	
2-7	Series number	
11-36	Sheet number or name	
39	Security code	
43-45	Agency	
50-52	Date	
55	At Omaha	
58-59	Material	
62-92	Number and kinds of sheets	
95-96	Total	
100-103	Edition	
106-119	Remarks	

Data Line--Type 2

Columns	<u>Data</u>
1-40	Spaces
41-88	Remarks
89-120	Spaces

Appendix E-1 shows a sample of a printed page.

IV. EQUIPMENT AND COSTS

1. REPROMAT FILE

The system employed for automatic data processing of the Repromat File makes use of the electronic data-processing equipment available at AMS in the Department of Computer Services. None of the equipment is owned or operated by the Library. The Library is charged \$250/hour for use of the H-800 computer, \$15/hour for the high-speed printer, and \$8.10/hour for the use of card-handling equipment. Cost of materials used is also charged to the Library. The following are representative monthly operating costs:

Card punching, verifying, etc. (400 cards/mo, 7 hr at \$8.10)	\$ 57
Card to tape and update (1 hr/mo at \$250)	250
Printout (400 pages/mo 2 runs4 hr/mo at \$15)	60
Materials (cards and printpaper)	24
Monthly operating cost (average)	\$391/mo

In addition, services amounting to one full-time cataloger in the Library are required for preparation of the input data sheet and other

duties concerned with the Repromat File. Thus, the cost of the automatic data-handling portion of the system is only a fraction of the cost of the Library catalogers.

The initial one-time costs involved in converting the system were estimated as follows:

Cataloging	\$ 62,600
Keypunching, verification, etc.	15, 390
Card-to-tape conversion	2,170
Printing	80
Programming	920
Applications analysis	1,300
Total	\$ 82,460

The conversion required the services of 10 catalogers full time for one year plus 1,600 hours overtime.

2. MAP FILE

The maintenance of the map card file during Fiscal Year 1965 involved cataloging 88, 228 maps, recataloging 15, 306 maps, and canceling 67, 317 maps. Representative monthly operating costs are as follows:


306 Remington keypunch (250 hr/mo)	\$ 2,025
312 Remington interpreter (25 hr/mo)	203
315 Remington reproducer (20 hr/mo)	162
420 Remington sorter (20 hr/mo)	162
Total	\$ 2 , 552

The above does not include the cost of the Library personnel who prepare the input data sheet, assign accession numbers, file punched cards, etc. The major portion of the time of 23 catalogers is spent on these tasks.


In addition, an Accessions Bulletin that indicates the new and revised maps in file is printed twice monthly using the Univac 1004.

Approximately 70 Bulletins are produced at each printing, with an average over the year of 100 pages per Bulletin.

APPENDIX A ORGANIZATION CHARTS



Army Map Serivce



• Represents total number of personnel in entire branch

Army Map Service Organization Chart

APPENDIX B MAPS PROCESSING

R. ARET R. ARET R. ARET DATE DATE DATE DATE DATE DATE DATE DATE DATE		2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		B CARD	A CAND CROSS NEFERENCE. B CARD CROSS REFERENCE	RENCE RENCE				
25.00 311.0		P CARO B								1 1
1. 11 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15		NUMBER & WISC	CROSS REF	EMENCES		- Jan		JECT.	TEXT	*******
### CANTY FOR THE TOTAL PROPERTY OF THE TOTA	S. 21 15, 05 00 10 10 00 10 10 10 10 10 10 10 10 10	[8]	2		7 2	2 22	-	3	8	11
SHEET MUNICH OR NAME 1 VEGATIVE NO GIVE SUCCESSOR 1 VEGATIVE NO GIVE SUCCESSOR 1 VEGATIVE NO GIVE SUCCESSOR 2 VEGATIVE NO GIVEN TO GIV		- [1	- 1	-	1 1 1			
	100	. [DESCRIP		-	L	PRINTING	÷ 00₹	1000
	SHEET NUMBER OR NAME	DATC	1	7			NUMBER			- `
	100 元 150 元 150 元 18 14 18 18 18 18 18 18 18 18 18 18 18 18 18			-		_			Ŀ	+
			-			- - -	-	-	1	+
		-	1	:- -	1.	-		-	 	╀
			- ;	ط - - - ا		-			+	+
				-		-	-	\dashv	-	
		•			-			-	•	
			-		<u>.</u>		-	-	-	├
				ļ ·	-	-	-	_	-	├ ─
								-	-	╀
		-			: -	-	-	-	Ŀ	┼~
	4			- - -	-		- - -	├		┼
			• -	· -		-	1	-		├
		1:	-			-	-	-	Ē	-
		4 -	-		-		-	-	-	
		1			-	-	-			├
		-		<u> - </u>	-	-	-	·	-	┼
		-	1-4-4	 - -	-	-	1			├
AND FORM			***************************************	4		-	ACCESSION DATE			1

PRINTING ACC 13-4	. ***	*	L -	- -	1_	4-	. -	1	1			-	1	L		1 .	1	1	1_		Ţ.,		\perp	L	I	
1	10-40 Lut			╄	┼	4-	<u> </u>	4		_ _	1_		1	┷	↓	ļ	↓_	↓	<u> </u>	_	J	1		\perp	\perp	
Ş	5		1	١.	4 -	- -	4.		-	.	.		1.		-	↓.			١.	١.	-	1-	1.	1 -	1.	
			 	├		- -		+-	┿	ļ	1:	↓ .	4 -	_	 	↓_	↓_		↓_	 	↓_	_	-1-			
9				∤ -	-			- ا	-	-	-		١.	-	↓ -		. -	4 -	١.	. -	١.	.		1 -	1	- 1
ı	1	3	¦	┼	+	+-	+	+	+	+	-	+-	╀-	┵		 	┿-	 		╄	↓_	↓_	 	+-	-	_
į	6		-	-	-	4 -	-	4 -	1 -	┥		-	.			-	١	. -					١.		1.	-
-		-	├	┼	╂	+-	+	+-	+	 	 	+-	╁	↓	 -	↓	↓_	—	├	↓_	-	4-	4-	┼-	┿	_
1		8	-	- 1	-		ŀ	- -	} -		-	4 -	┥	┥-・	-	 -	.	- 1	-	1	+ -	1-	1-	-	4-	-
ACCESSION	2					-	-		٠ - ١	·	-	+ -	}	-			· - <i>-</i>			- 1	į -·		· - -	·	- إ	. 4
1 8	ğ	٠,	} -			1 -	† -	+ -	†- -	·		-	┫-	-	-				٠	- 1		- -	- -	.	- -	-
Ş	3	2	-	-	†	1 -			 			-	· - -				} -	┥	٠-			-	-	-	· - ·	-
`		1-	١ -	-	-	-	-	4 -		-	- 1	-	-	ł -			-	-	∮ -		-	-	-	- ∤	-	-
		7	l			·}	+-		+	-	ļ	ļ	ļ	ļ	 		ļ	ļ	↓	 		┼-	┿	+-	+-	+
\vdash		-	\vdash	⊢	+	+ -			·		٠.		∳ -	 	┼	 	+	-	├	├	┼	-	+-	—	+	4
l ≩	≥ '	2 22 22 22 22	-	-	-	-	d	-	·					 		- -	∮			- 1	- -	-	+ -		4 -	-
۱ş	ē i					-	† -	 	-	+ -	-	┥									 -	- ∤	4-	∤ -	4	- -
SECONDARY	AUTHORITY				-	-				} -		-											- -	ļ -	-	-
*	₹ 1	Ξ.		 -		-	+ -	+-	† -	-		† -	 -		- ·	- -		-	∤ • •	- -	-	-	1 -	-	4-	- }
-	1	8	-		 	+-	+-	+	+-	-	 	-	┼	-		 	-	┼	├	-	┼	+-	┿-	+	+-	+
Z	-	3	-	-	1	-	1.	1			-	†						-	-	-	ļ - ·	┥			-	\dashv
Ě	-	3				1	1	† –	1-	†	† -	†	 		†	-	†	 -	_	 	-	+	+-	+	+-	+
Ī	~	•			1 -	1 -	1 -	† -	† - :	1											-	† •	1 -		1-	+
DESCRIPTION		3			$\overline{}$		1	1	1	1			 				1	1	-	_	1		1	1	\uparrow	7
CONTO. SIGNIFICANT	-	39 60 61 62 63 64 65 66				† -	1 -	† -	†	1		<u> </u>							-	† -	 	-	1-	† - ·	- -	-
-	- A	3			1	Τ	Ť	1	†	† - ''		1 -	1 -		ļ		†	†	_		† 		+-	 	+	\dagger
1	Č	3	1		1		-			-	-	1	1		-			† 		-	† -		-	- –		- -
1	SOURCE	3	1		1					ţ		١.	1		-							-	-	†	1-	+
1	v 1	3				1	-	1-	1			-	† -		-	-		-	-			1 -	-	1 -	-	•
-		3						T-	1		-	-					1	 					+-	† - -	+-	+
-	-	:							I	İ			i									1	1		+	+
SIGNIFICANT	w	*				L.	.[_ `	1.				ì										j -]]			İ
Ĕ	DATE	3 5 3				Γ.	Τ.	11				Ι.						L _	<u> </u>	Ī		ļ				
õ					l		1	1	-]	Ĺ		
5		5			<u></u>	L	L	<u></u>																	L	
8	,	2 2						١.	l		_	١. ـ														T
L						<u></u>	L	1	ļ																	
1	- 1	48 50 51 52	. 4		١.	ļ		L .	.	.		ļ 					_		_				Π		Ι.	T.
	NEGATIVE NO	-	.			١.		-							-											
	≥	3				-	-		١			- 1														1
1 3	3					-	ļ -	↓			- -		- 1								. -				١.	
1	ž		-		١.,	-						-					-			_		-		i _	١.	1
	,,,	2					 	 														_	<u> </u>			∔
-	-	_	\dashv				-	 	 			-											 	<u> </u>	+	+
	- [-	*	- [-			-		-	- 1		- +	- 4							-			- -
	-	4	-			-		-	-	- +	-		- 4	-		-	-		-			-	ļ .	-	ļ -	-
			-			-		-		- +	-		-	-				- }		-			-		-	+
1	- 1	=	- 1	-			-	- -	-	-		-		- 1	-			- +	-	;	- 4	-			-	-
	ŀ	29 10 00 EL ST	-	- 1	-	-	-	† -		-	-	-	-		- }				-	-			-		-	+
<u>.</u>	- ا	•	- 1	-	-		-	-		-			- +	-		- +	- 1	- !	- +	-	-		-			-
			- †	-				1	-			-		-	-				- 4	-	• -		-			- -
9	5	1	-			-		-		- +	-		-	-	- +	-			-	-			-		-	-
SHEET NUMBER OR NAME	NO WOMEN ON	*	-	-	-	-	-	-	-		- 1	-	- 1	-	- †	-		- 4	-			-			-	F
3		= †	-		- 1	-		-	-	- 1	-		-	-		-			-			-		- 1	-	-
Ž	-	ž	- -		- 1	-		-	-	- 1	-		-	-		-	!		-	• -	- 1	-	- 1	•	-	-
1 2 2	1	=†	-	- 1	-	-	- '	-		- 1	- 1		-	-	-	- †	- 1	-	- †	-	- 1	-	; -	- 1	-	-
3	1	21	-		-	-	-	-	-		-	-			-			- †	-	- 1	-	٠ -	, - h	· -	- ا	[
1	1	=	-	-		-	·	-	-	- 1	-		•	-	- 1	- 1			- †	-	- 1	-	- 1	- 1	-	1
l	T:	ē	- †	- 1								1	- 1		-	- }	- 1	- 1	- 1		!	j	-	- •	-	-
ı	- 13	2 2	-[- 1		-		-		- 1	-	- 1	- †	-		_	-		-	- 1	[- †	-	- 1	-	ľ
l		-1	- +	-			Ī		-	-		- 1	-	1		- 1	- 1	- 1	- 1	-		- †	-			1-
	Ţ	2	. !		,																					
	į.	2 2	- -	-		- 1	-				_ 1		- 1			_ 1			<u> </u>	-	-		-	: 1	-	

OC BATA SMEET (CONTINUATION CARE, A)

CATALOG DATA SHEET CARD—A URBAN AREAS — GENERALS—PARTS—MISC

ACCESSION DATE ____

URBAN AREA CARD		A CARD CROSS RIFERENCE		~	•	•	•	•	, 0	•	DE CARD CROSS BESTREES	D	<u>-</u>	~ 0		•	• •		` ·	•	UNION CATALOG CARD	
	श				I	I					10#1											
	\$ 10.0		ļ.,	↓ -	+	-+						******		_								
	3			├	+	- +	• - 🛉				ACC	PATE	19.7 P.R									
	3		†	†- -	十	1	+						2	\neg								
	श				I	Ī					PRINTING	DATE	٤									
Ψ	2		L	ļ.,	1	-4					<u>8</u>	ð	3									
Ž			- -	╁-	+	-+					-		<u>6</u>							_		
SHEET NUMBER OR NAME	16, 37, 38, 19, 40, 41		 	+-	†	-+		1			z	~	78 79 8ti 81 87 83 84 BY 45					-		-		
139			T ::	İ.	İ						ACCESSION	NUMBER	ē									
2	20, 31, 32, 33, 34, 35		Γ.	Ι	Į	-]			-		Ş	Ž	2							L		۵
ÉE	킑		╁	╁-	╁	-+							, ,									AEFLACES EDITION OF 18 FEB 64 SHICH WAY BE USED
\$	닭		┪-	 	+	-+	1				1	כר	2							-		•
	×		t - :	1	İ	1					7											1011
1	2		Ι.,	Į.	I						SECONDARY	AUTHORITY	•									:
İ	2		- -	╂-	+	- +					S	Ĭ	2									:
	2		 	 	+	-+					S	⋖	71 72 73 74 75									
THAJE	ĸ				I							3	99 70									110
	12		L	↓.	\perp	-			L		TON	Ĺ										23 53
	22 23 24		╄	╄-	+	-+					DESCRIPTION	7	5									75.66
	Ē		-	+	十	7		-			DE S	\vdash										•
SCALE	12,02,61		† ::	T:	士								9 59									
"	2		<u> </u>	↓_	4	_					٠,	į	3						Ļ	 		
İ	16 17 18		╁	┿-	+						300103	É	62 63 64						┝			
	글		 - -	+-	+						3	4	9 19									
	2			1.	I						8 3		ક									
AUTHORITY	11,12,11,16		┨-	∔-	+					- -	3		95 82 15 85				<u></u>			┡		
¥	2		╁╌	╁-	+						SIGNIFICANT	PA PA	2				├			 		
₹			†-	†-	†						SIGN		9									1
F.	9 10		Ţ_	Į	I			L	L			3:	3		<u> </u>		<u> </u>	ļ		<u> </u>		ļ
SUBJECT	$\overline{}$		╀	+	+	-				 —	FDITION		A				-		 	 		
) F			╁╌	+-	+	-+							5.25		-				 -	-	-	1
<u> </u>	+	_	T	\pm	\dagger						SPECIAL SERVICES	9	46 47 48 49 50 51 52 53 54 55					<u> </u>	1 - 1	1:	<u> </u>	1
TYPE	9:0		Ľ	Ľ	I						SE I	NEGATIVE NO	3			[-[L		Ţ	ŢĪ.	ļ	=
_	-		╁-	∔-	+			-		├	3	3	149		├	├	-	 	 	┼	 	3420-11
AREA	-		+-	+-	+				t	 	S.	ž	1,4		 	 	 - -	† –	+	 - -	 	
L.	-		<u> </u>	†	1				<u> </u>		3	jd	9									AMS FORM
Q V		_	7	~	, [4	5	9	7	8	8	<		1	2	3	4	5	9	_	œ	¥:

CATALOG DATA SHEET CARD—B
URBAN AREAS GENERALS—PARTS—MISC

6	AMS CAI	LL NUMBER		23	EXACT TITLE		
	1 2 3 4 5 6 7 8 9 10 11 12	13 14 15 16 17 18 19 20 21 22 21 24 24	26 27 28 29 30	31 32 33 34 35	35 36 37 38 39 40 41	1 1	42 43 44 45
1							
2					-	+ - ·	-
3		SEE	 		 - - -	 - -	<u> </u>
4	RF	RFVERSE	+ +		 	+	-
5		SIDE		+		-	<u> </u>
9			 - - -		 - - -	 	
7			-				-
8							
CARD B	EXACT TITLE	EXACT LOCATION	AI PHABETIZING CODS	S ∀ 7:	AREA, SUBJECT,	TEXT	TOULN
П	16 47 48 49 50 51 52 53 54 55 56 57	54 59 60 61 62 61 64 65 65 65 68 69 70	51 15 17 17 07 69	ď	HI AT HE BY HA! 85	85 86, 87, 88, 89	
2							
3							
4							
5							
9							
7							
8							
	4						

APPENDIX C MAP SEARCH PRINTOUT

GENERAL MAPS

THE SHELL	85040 2000000 Road map of that 85040 shell oil		LNC N	EM AOKK	ENGL	AND THAT	·	
SHELT		EDITION	DATE			SEC AUTH	PRINT DATE	₃E¢ JODE
THAILAND			P1963	L			1963	
		GENE	RAL M	NPS				
HOAD MAP B	85043 2300000/2 Angkok Thonburi 85043 California	AND THAIL		PANY LIMI	I TED	THAI	ć	:т
SHEET		EDITION	DATE			SEC AUTH	PRINT DATE	SEC CUBE
THAILAND			1964	L			196#	
		SERI	ES MAF	' S				•
5L 03 3000 THAILAND THAILAND	90000 50000 90000 ARMY MAP S		L708	S	0 1	THAI ENGL SUENGL	A	M
SHEET		EDITION	DATE			SEC AUTH	PRINT DATE	SEC
5864 5963			M1963 M1964			90052 90052	0364 0664	
		URBA	N AREA	s ·				
SL 41 2900 (MAP OF BANG		N13 I VNAPMOS	45E100 NC NE	31052000 W York	0 ENGL	AND THAI	54	•
SHEET		EDITION	DATE			SEC AUTH	PRINT DATE	SEC CODE
BANGKOK THAILA	IND		0164	L			0164	

APPENDIX D

INPUT PROCEDURES MAP REPRODUCTION TABULATION

LAYOUT FORM - 80 COLUMN CARD

LAYOUT FORM - 80 COLUMN CARD

	4U02							T	71
1 1 1 1 2 2 2 2 2 2	U 4 # 0 # > 4 #								
Cont. 1									١ĭ
Cont. 1		•							
Cont. 1		į			l	ŀ			1 3
Cont. 1					1	1		 	1
Cont. 1						١.			ı
Cont. 1						å			-
Cont. 1						┢	1	H	1
Cont. 1				1			1	1	-
Cont. 1									
Cont. 1		; ;				1		1 1	1
Cont. 1		i i		ĺ	ĺ	1			1
Cont. 1		# # # # # # # # # # # # # # # # # # #		1	}				1
Cont. 1		2							
Cont. 1		*		١.		1			
Cont. 1				1	1				- 1
Cont. 1				ĮŽ	1				- {
Cont. 1		1		3	Ū				- [
Cont. 1]			-
Cont. 1				l	1	ĺ	ļ		
Cont. 1	1	Ä j			1)		1 1	1
Cont. 1		я я		ŀ		l			
Cont. 1		1 1			1	}			1
Cont. 1		; ;							
Cont. 1		*		1	ĺ			Ιİ	ļ
Cont. 1		,						1	ļ
Cont. 1	,					l		1 1	- [
Cont. 1		â					İ		
Cont. 1		Ä			1				
Cont. 1		,							
Cont. 1			ا ا		1				1
Cont. 1	4	:	3		Ì		1		
Cont. 1	Ž 8		i		1	1	1		
Cont. 1	,	# #	4				1		
Series			ĩ						
Note Note			1	1					-
A MASS 1		-	J	3		8			Ŕ
	j			1		Efice	1		
<u> </u>			į	1	3	3	1		5 3 5 3
	<u> </u>	- ~ ~ 1 4 7 4 6 6	Щ.		Ц		Щ.		_ 1₹ 3

Data Sheet Completion Instructions

In order to prepare data sheets for use as input information, certain basic knowledge of the requirements and limitations of the computer is required. The printout will furnish only information that is put into the computer. As long as the information is routine, the computer op rates without any specific instructions. For any information placed in the computer contrary to the normal routine or contrary to its normal sequence, it must be instructed by means of a "flag" appearing in a predetermined column. In this instance, columns 79 and 80 of the data sheet will be reserved for this purpose. The flag is an assigned letter or number which gives instruction to the computer. A list of the assigned flags and their duties appears at the end of this SOP.

The sequence of the computer is 0 thru 9, A thru Z. This being the case, all continental would appear on a print-out before any of the alphabetical series. Since this holds true in all areas of the printout, it must be foremost in the cataloguers mind when placing information on the data sheets. Further consideration is given to sequence under Sheet Names or Number.

The allotment of spaces on the data sheet is as follows:

	Spaces	<u>Total</u>
Series	6	
Sheet Name or 1	No. 26	32
Security	1	33
	3	36
Agency Significant Dat	:e 3	39
0maha	1	40
Material	2	42
Pieces	16	58
Total Pieces	2	60
Edition	4	64

The Repromat Files are presently arranged in Series and Sheet Number order. It is desired to continue with this system, consequently, accuracy is of utmost importance in the arrangement of information in the first 32 spaces. These spaces are for the series and sheet number and are the computer's instruction for arranging in order.

Each item appearing on the data sheet is explaned in detail below:

a. Series - Spaces 1 thru 6.

The series will be placed on the data sheet, beginning with space one and using as many of the six spaces as required. No blank spaces should appear between the beginning and end of a series identification.

b. Sheet Name or Number - Spaces 7 thru 32.

The sheet name will undoubtedly create the most difficulty and require the most care by the cataloguers. The sheet numbering system for each series will have to be considered before placing on the data sheets. The cataloguer must keep in mind that any time a space is left immediately preceding a zero, the printout will drop the zero. The reason for this is so that when a file is arranged in straight numerical order, the zeros preceding the unit will be dropped. It would appear on the data sheet as follows:

The same sheets would appear on the printout as follows:

If the numbering system continued into thousands, an additional zero must be added in front, etc. Since the zeros are not desired on the printout but are used to fill the field, it is necessary to leave a space preceding the field. Consequently, space 7 should not be used.

Some of the series (e.g. M841) have sheet numbers beginning with zero: 0810, 0820, etc. The field for these numbers should begin at column 7 so the zeros would not be omitted.

D-3 (continued)

Sheet numbers such as 240 085 in Series K835 must utilize a slant, 240/085 in order to retain the 0 in 085.

Roman numerals are often used as a sheet numbering system such as M761. Since the computer treats the roman numeral as a letter, it requires special treatment. Place Z's in the first two columns (Column 7 and 8) of the name field. The arabic number equivalent recorded in the next columns, filling any spaces between the number and the Z's with zeros. Example:

ZZ001 ZZ011 ZZ111

The sheet number as it normally appears in roman numerals form should be recorded, beginning with column 65.

c. Security - Space 33.

The security codes presently in use by the map library will be used for reproduction material as well.

d. Agency - Spaces 34 thru 36.

This will not change from the policy used on the 90 column card.

e. <u>Significant</u> <u>Date</u> - Spaces 37 thru 39.

No change from old policy.

f. Omaha - Space 40.

Tabs will be received from Omaha of their coverage and will be the sole authority for indicating coverage.

g. Material - Spaces 41 and 42.

A new code has been devised to indicate the type of material reported:

<u>Material</u>	<u>Code</u>
PBN	N1
TBN	N2
VBN	N 3
PBP	ΡÌ
TBP	P2
VBP	P3
AP	P4
PP	P5

opina. "gi

D-3 (continued)

h. <u>Pieces</u> - Spaces 43 thru 58.

It will no longer be necessary to indicate the letter code when listing the pieces, only the number of pulls for each feature in the proper column. The letter code will be programmed into the computer. An additional space was allotted to Miscellaneous (N), to be used when more than 9 pulls are held on one feature. For instance, a set has 11 tint; indicate 9 under tints (R) and list the other two in Miscellaneous. The letter "M" should be used if a pull is missing from a set.

- i. <u>Total Pieces</u> Spaces 59 and 60.
 No change in procedure.
- j. <u>Edition</u> Spaces 61 thru 64.

No change in procedure.

Spaces 65 thru 78 are reserved for clarification of sheet name or number or for a plain language explanation of some other feature recorded on the data sheet. At the present time, the only use that comes to mind is for recording the roman numeral sheet numbering system as referred to earlier.

Additional use will be made of the spaces, I'm sure, when we become involved in the actual recording procedure.

In some instances, the regular line map and plastic model utilize the same pulls that are common to both sets. The features that are used to compile both series should be recorded on the data sheets under both sheets, even though there may be only one set of repro. In filing the material, those pulls that are common should be filed with the line map. The folder containing the pulls for the plastic model only should have a note attached: "See line map for remainder of repro."

When it becomes necessary to place additional information on a detail card (information beyond column 80), the same data sheet will be used. The first 32 columns will be prepared exactly as on the header card. The detailed information can then be recorded in plain language, beginning with Column 33. The proper flags must be recorded in Columns 79.

D-3 (continued)

Listed below are the flags which will serve to instruct the computer:

 ${\bf Card}~{\bf Column}~{\bf 79}~{\bf will}~{\bf indicate}~{\bf the}~{\bf type}~{\bf of}~{\bf card}~{\bf Code}$

0 - Repro data card (header)

1 - Remarks card (detail)

Card column 80 will indicate the action to be taken 0 - File the Card

1 - Up-date information already in file

2-a. Delete all cards of the type indicated in column 79 of the indicated series and sheet.

b. No punch in column 79, delete all cards of the indicated series and sheet.

APPENDIX E

MAP REPRODUCTION TABULATION PRINTOUT FORMAT AND EXPLANATION

		Map Reproduction Tabulation Printout Format	oduc	tion	Ta	bulati	ion Pri	nton	t Fol	rmat				
SER) .)	SHEET NUMBER OR NAME	SEC AGENCY DATE	DATE	ž.	YA.	30*0%	NUMBER AND KING	Jul	CF SH	SH. E .S	-	CTAL	TOTAL EDITION	RE1'ARKS
1901	ICELAND SPECIAL	S-4	382	×	1	2	101616	3		2	9	=	***	
1301	NA 1				! !	,				•	,	n •	ņ	
1301	+ 42													
1301	. NA S													
1301	NA 17	SXX	V\$2	×	7	~	5	2		i	;	9		
1301	NA 16	. S. V	V.5	×	. z			= ;		5	*	9	1AMS	
1301	4A 10)	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	(>	: 3		<u>.</u>				9	•	IAMS	
1301	NA 20	5 5 7	, , ,	٠,				Ξ :	:			~	1445	
1301	4A 21) & &	3	٠,	:	.	1111		¥ ;		æ	7	IAMS	
1301	NA 22				: :	S :	121	ij	¥		œ S	9	1445	
1301	4A 26		n E	<	Ž	Y	.					~	NONE	
1301	NA 32	SKY	X O	×		4	1026181612	1		2	9	:		
1301	NA 33	SWA	E 56			1418	101E2F	ž	×		<u> </u>	2 :	SE V	
1901	\$6 42°	Ars	Z 20	×		1418	101616	141.114	, A	2	9	: :	200	
1301	44 35	SEC	30 00 10	×		.	-	1		֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓		: :	CLYC	
1301	9E 7k	8%4					319101		•		¥ 6	9 !	SARS	
1301	NA 37	.	P 56					į 1	, ,	- E	¥ (- (44MS	
1961	NA BB	820	P36	. ×		. 5	101616		'		¥ .	•	5656	
1301	4A 43 SA 43	Š	E 48	×		.	1016	•			Ľ	•	9694	
1301	NA 46											•	90.9	
1301	4A 47	87.4 8	HS.5	×	· •••	4	101626	3		9	9	:		
1301	84 A%	90	V 54	×			919101	2	<u> </u>				SAMS	
1301	04 AM	S-Y	*						£ 2		¥ (9090	
1061	NA 50	A.S.	*				101618		4 ×		y (2 :	BAMS	
1301	15 d.	. ₹	4					<u> </u>	۲			*	3AMS	•
		i					1131.7	Ť.			or	E	3 A 4 S	

DESCRIPTION OF REPROMAT PRINTOUT

A brief description of the Series Number, arrangement of the tabulation, and a key to the codes used are explained in the following paragraphs.

1. <u>SERIES NUMBERING SYSTEM</u>

The world is divided into continental and regional areas which are designated by numerals and/or letters.

The series number consists of four elements as follows:

- . First element -- a numeral or letter identifying the continental or regional area in which the series occurs
- Second element -- a numeral indicating either the scale or a city plan or photo map
- Third element -- a numeral identifying the subregional area in which the series occurs
- Fourth element -- a numeral giving unique identification to the series

The first element of a series number is selected as follows:

- . A world series is assigned the numeral 1
- A small scale map covering a continental or regional area is assigned a numeral (e.g. 2-Africa, 3-Antarctica, etc.)
- For medium and large scale maps of continental areas, a letter is assigned (e.g. A-Canada, E-Latin America, S-Philippine Islands, etc.)
- The Index to Regional Areas shows the assignment of numerals and letters to the regional areas.

The second element of a series number is selected as follows:

SCALE GROUP	SECOND ELEMENT
1:5,000,000 and smaller	1
Larger than 1:5,000,000 to 1:2,000,000	2
Larger than 1:2,000,000 to 1:510,000	3 .
Larger than 1:510,000 to 1:255,000	4
Larger than 1:255,000 to 1:150,000	5
Larger than 1:150,000 to 1:70,000	6
Larger than 1:70,000 to 1:35,000	7
Larger than 1:35,000	8
City Plans (regardless of scale)	9
Photo Maps (regardless of scale)	0

The third element of the series number is assigned in accordance with the numerals assigned to subregional areas as indicated on the regional indexes. A numeral "O" is used if the series extends beyond a subregional area.

The fourth element of the series is a number and, in some cases, two. They identify the specific series and are assigned in order as a series is developed.

A letter suffix sometimes appears on a series and is used to denote some specific type of mapping. The following letters appear on this print-out:

A - An added series

P - Plastic relief series

R - Native language series

S - Special series

SP - Special Plastic relief series

W - A special series of the world

2. PRINTOUT ARRANGEMENT

The repromat is recorded on the printout in series and sheet number order. All continental series are listed at the beginning, and the printout then progresses through Area B to Area Z.

Because of the order of priority given to numerals by the computer, certain series are arranged differently than one is normally accustomed to seeing them. For example, Photo maps appear at the front of a series; i.e., L001 appears at the beginning of the L series. Another example is that series L7010 appears before L701.

The computer is incapable of arranging sheets identified by Roman numerals, so all sheet numbers appearing in parenthesis are actually Roman numerals.

3. KEY TO CODES

SEC (Security Code)

Date

W - Edition

V - Revised

L - Field Examination

M - Compiled

D - Surveyed

E - Engraved

P - Published or Printed

Z - Reprinted

B - Later than same date map in file

C - Circa

X - Interpreted but no applicable code

Blank - No interpretation date

OM (Omaha)

- X indicated AMDEP holds like material. In most instances, AMS maintains the negative and AMDEP the positive.
- O indicates that AMDEP's material is older.
 - Blank indicates no repro at AMDEP.

MAT (Material)

- N1 Polyester Base Negative (PBN)
- N2 Topo Base Negative (TBN)
- N3 Vinyl Base Negative (VBN)
- Pl Polyester Base Positive (PBP)
- P2 Topo Base Positive (TBP)
- P3 Vinyl Base Positive (VBP)
- P4 Astrolon Positive (AP)
- P5 Paper Pulls (PP)

Number and kind of sheets

The letter identifies the features appearing on the pulls as follows:

- A Culture
- B Border
- C Names
- D Relief
- E Open Water
- F Drainage
- G Vegetation
- H Roads
- J Residential
- K Boundary
- L Air Data
- N Miscellaneous
- P All grids except UTM
- Q UTM Grid
- R Tints

The number preceding these letters indicate the number of each of these pulls in the set.

APPENDIX F BOOKS PROCESSING

CATALOG DATA SHEET SPECIAL REFERENCE FILES

THE AUTHORITY CARD
THE NUMERICAL
THE X-REF
THE TRANSLATION
CANCELLATION

CANCELLED OR CHANGE OF CALL NO CAID

ON BY THIS FORM

RELISTED

1 1AB

0

SOURCE CARD
URBAN AREA X-REF

	8	CODE NO	_				Ž	NAME OF AUTHORITY	¥	Į	N T	>																					ı	1							1
SPEC	14	SPECIAL NUMBER	¥									1				E	õ	₹	٩	5	Z	TITLE OR NAME OF URBAN AREA	1,					j													J
•	_	-	•	0 0 1 0 1		⊃	Э			3	5	5	*	-	~	-	-	٩	<u> </u>	0	1-	0	9	-	~	v	Ξ	w		-	3	Z		<u> </u>	-2	+	2	1		_	L
-		7	~	•	1 2 3 4 5 6 7 8 9 10 11 12 13		•	2	=	12	2	=		<u>-</u>		<u>~</u>	~	~	==	8	7	25	8	3	8	8	8	8	32	8	_ ^	33	8	 -		4	14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 42 42 44 42	- 2	: 5	. 3	
]		1		1	1	1	1	1	1	-	4	4	4	-	4		_						7	1	7	7	7	\exists	+	H		4	니	<u>၂</u>
																						1		18	CODE	ļ		L						-					ا	1	L
L	1		Ľ		L		١.						H	1							1		1			1	1		ł	١	ļ			٦		1	ALMAE HEING	11711	و		

	_	T		T
	\vdash	┥		- 8
				-
	2			-
	1			
	ALPHABETIZING			2
	3	!		3
	l			8
		7		2
	ĺ			8
			/	R
		4	I	78
		و ا	Ŋ	n
		Alphabetizing Code		%
		1		22
	9	1		Z
	CCDE NO		V	R
Ì	ဗ			2
				ľ
				00 61 62 63 64 65 66 69 70 71 72 73 74 75 76 77 88 89 81 82 89 84 85 84 89 89
				\$
			l	3
				3
I		۳	ļ	
ļ		SCALE	-	3
				2
l			L	3
l			1	
١		<u> </u>	4	
			F	
		Ĕ	-	\$
		AUTHORIT	F	- 3
		₹	ŀ	<u> </u>
		 	1	
			F	
		3	F	- 3
		١	H	
		<u> </u>	H	
		3	H	~ ~
	Į		1	46 47 48 49 50 51 52 53 54 55 56 57 58
			H	
	ı	AREA	۲	
	1			
_	1		<u>_</u>	

SPECIAL NUMBER CARD SOURCE CARD URBAN AREA X-REF COO C: NUMERICAL
C: NUMERICAL
C: X-REF f:
C: TRANSLATION
C: CANCELLATION CATALOG DATA SHEET SPECIAL REFERENCE FILES NAME OF AUTHORITY CANCELLED OR CHANGE OF CALL NO CARD
C. BY THIS FORM
C.) RELISTED

TAB COOt :10 0

TITLE OR NAME OF URBAN AREA

SPECIAL NUMBER

		1				
<u></u>	\$\$					8
- CHSANSIAL	42 43 44 45		ŀ			68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 80 84 85 86 87 89 89
<u> </u>	\$		ಲ್ಲ			2
L	?		121			2
~	<u> </u>		¥			8
Z	34 35 34 37 38 39 40 41		ALMAETIZING			3
<	Å		`		ļ	2
~	2					8
=	3		İ			83
<u> </u>	8					<u> </u>
-	35					8
-	7					R
-	32 33					82
	32					2
=	5					2
Ξ	8					×
U	\$		9			7
8	28		CODE NO			ĸ
<u>-</u>	12		ဗ			22
O	2				0	7
B C C L O G 1 S C H	20 21 22 23 24 25 26 27 28 29 30 31				80	۶
-	7.				0	\$
0	23				**	8
	22				0	67
U	21			ŧ	•	8
				SCALE		65
	2			•	3 3 5	3
4	15 16 17 18				3	3
-	17				\$	62
~	2					2
Ŀ						8
<u>~</u>	3			RITY		\$
2	2			AUTHORIT		\$
7	2			¥		5
	9 10 11 12					46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67
	5					য
	۰			CLAS		3
	•			ד		а
_	`			L_		25
	•			1716		2
	*			ئا		ક્ષ
	7	i			 	\$
				AREA	<u></u>	3
	7		}	३	ļ	\$
<u>L</u> .			L	<u> </u>	l <u>. </u>	\$

APPENDIX G PERIODICALS PROCESSING

	ſ	7		\$					2
	SOURCE CARD SOURCE CARD URBAN AREA X-HEF			38 39 40 41 42 43 44	ALMAETIZING	963	of the view of the		2
	000			29 30 31 32 33 34 35 36 37		1, 2083	Subjects writing a debreviete		75 76 77 78 79 80 81 82
- 23	7 20			25 26 27 28 29 3	COOE NO	TWO	Subject	Codes	70 71 72 73 74 75 76
CATALOG DATA SHEET SPECIAL REFERENCE FILES	AUTHORITY CAED NUMERICAL TRANSLATION RANSLATION CANCELLATION		TITLE OR NAME OF URBAN AREA	2 2 2			2.4 Area		06 67 68 69 70
			TITLE OR NAM	12 18 19 20 21		SCALE		1	20 00 00
	O CARD	NAME OF AUTHORITY		12 13 14 15 16	i	AUTHORITY	3	.	57 58 59 60 61
	CANCELLED OR CHANGE OF CALL NO CARD BY THIS FORM RELISTED TAB	NAME OF		7 8 9 10 11 12		CLAS	Texts	1 1 2 4	52 53 24 55 56
<u> </u>	ED OR C		<u> </u>	E 6		TYPE			15 05
PERIODICAL LIST	CANCELLED OR CHANG	CO0E NO	SPECIAL NUMBER	T 1 T L 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		AREA	Acia	Code	46 47 48 49

PART I ALPHABETICAL LIST

1114	TEXT		. 1	•	MEA	SUBJECT		
	157 20	w 6) ([157	2MD			
AANWINSTEN OVEN LE MAANDEN	ου	1	.2 1	1		SEN THOPICS		
ARSTRACTS OF PHOTOGRAPHIC SCIENCE AND ENGR LIT	EN		2			ENGR PHOTOL		
ACCESSIONS LIST LINUIA	EN			5 5U		BIBL LOGNAPHY		
ACCESSIONS LIST LPARISTANT	EN		2		70	HIBL LOGHAPHY		
ACCESSIONS LIST UP THE GLOURAPH BH OF CANADA	EN		2 (•	BIBL MAPPING		
ACTA GŁOWKAPHILA	FH		14 (GEOGHAPHY		
ACTA TECHNICA ACAD SCI HUNGAN SEN GEUD ET GEOP			2 !		37M	GEOUESY GEUPH		
ACTIVIDADE ECONOMICA DE ANGOLA	PK			3 12	•	ECON CONU		
ADMESTRES AGE	EN		2			GRAPHIC AHTS		
ADI NEUSLETTER	EN		16			DOCUMENTATION		
ADMINISTRATIVE MANAGEMENT	EN			2 1.		MANAGEMENT		
ADVANCED MANAGEMENT JOURNAL	EN		_	 1		MANAGEMENT		
AFGMANISIAN NEWS	EN			 1 10		GENERAL		
AFHICA	SP 42		_	v		GENEHAL		
	EN :		-	1 47		GENEHAL		
AFHICA CALLS FHOM HMUDESIA AND NYASALAND AFHICA JUUHNAL OF THE INTERNAT AFHICAN INST				 3 2		ANTHHOP LANG		
	_			_		ECON COND		
AFHICA HEPURT	EN		_					
AFRICA TOUAY	EN					GENERAL		
AFHICAN HOADS AND TRANSPORT	EN			3 2		HUADS		
AFHICAN BOHLI)	EN EN		-			ECON CONO		
AFHICANA	FN			2 0		GEN SEUG		
AFHIGUE	FM		_			GENEHAL		
AFNIGUE MAGAZINE	FH		_			ECONOMIC CONU		
AMMAM	AH			C 7#		CUMHENT EVENTS		
AIAA JUUHNAL	EN	1	12	1 1	51	AEHON ASTRON		
AIH ALMANAL	EN	•	13	5 1		AIR NAV GEOD		
AIN CONDITIONING HEATING AND VENTILATING	EN	- 1	12	C 1		AIR CONUITION		
AIR + MUINEERING	EN	1	12	C 1		AIR CONUSTION		
AIN FONCE AND SPACE DIGEST	EN	1	12	1 V		AERONAUTICS		
Alumano Information Manual	EN	•	?6 ·	C . W		AEHO AIRWAYS		
ALA MULLETIN	EN	1	0	5 1		LIBRARIES		
ALASKA SPUHTSMAN	EN	1	12	1 0		GEN GEOG		
ALGENIT AGRICOLE	FR	AH (16	1 4P		AL. ACULTURE		
ALL INUIA MOTORIST	EN	1	12	1 1	50	SHPPNG THNSPT		

PART 2 SUBJECT LIST

TIFLE	TEXT	F	*	A	1EA	SUBJECT
	IST 2MD	õ	Ţ	157	2110	
COMMONDEALTH DEVELOPMENT	EN	06	1	1		ECON CONO
ECONOMIC AND STATISTICAL REVIEW	EN	04	1	•		ECON CONO
ECONOMIC BULLETIN LNATH MANK OF LEYPT?	EN	04	2	79		FIN ECOM CONO
ECONOMIC GEOGRAPHY	EH	04	5	1		SEO EC CONO
+CONOMIC NEWS OF BULGANIA	EN	IR	1	20M		COM ECON COND
ERONOMICHESKATA GAZETA	RS	D	1	N		ECON CONO
ETUDES ET CONJUNCTURE	FR	12	c	64		ECONOMIC COND
ETUOFS ET STATISTIQUES	FR	12	4	176	86	ECON COND
FAN EASTERN ECONOMIC REVIEW	EN	52	1	5		ECON COND
PEDENAL NIGERIA	EN	12	1	66		BENEW ECON C
GERMANY: THE MAGAZINE UF THE FEDERAL REPUBLIC	EN	04	1	-		EN ECON COND
SHANA HELONSTRUCTS	EN	06	1	256		ECON CONO
HS.N CHIEN-SH€	СН	12	2	11		ECON CONO
INDUSTRIAL REVIEW OF AFRICA	EN	12	1	1	2	IN) ECON COND
INDUSTRY OF FREE CHINA	EN	12	2	193L		ECON CONO INO
INDUSTRY TUDAY	EN	12	2	1	18	ECON CONO IND
INFOHMACION ECUNUMICA SEMANAL	SP	52	c	16€		ECON CONO
INTERNATIONAL COMMERCE	EN	52	1	1	٧	COM ECON COND
INTERNATIONAL FINANCIAL NEWS SURVEY	EN	52	1	1		COMM ECON LON
ISRAFL ELONOMIC INDICATORS	HE EN	:2	c	13K		ECON CONU
LATIN AMERICAN REPORT NEWSLETTER	EN	IR	1	7		SEN ECON CONO
MAGHHEN DIGEST	EN	12	1	P		SEN ECON COND
MEXICAN AMERICAN HEVIEW	EN	12	2	٧	F	ECON CONO IND
NAHODNUYE KHOZYATSTYU KAZAKHSTANA	RS	12	2	391		ECON COND
NETHERLANDS ECUNUMIC BULLETIN FOR THE FONEIGN P	EN	24	1	334		ECON CONO
NOTES ET ETUDES DOCUMENTATHES	FR	IR	1	1		ECON COND
NOTES ET ETUDES DOLUMENTATHES SUPPLEMENT	FR	TW	1	1		ECON COND
UPTINA	EN	04	1	1	57	ECON CONO
ORIENTAL ECONOMIST	EM	12	1	73L		ECON COND
OVERSEAS BUSINESS HEPORTS	EN	iR	1	1		COM ECON COND
UVFRSEAS REVIEW	EM	12	1	1		ECON COND
PLANOVO STUPANSTVO I STATISTIKA	en .	12	1	204		ECON COND
POWEH AND INDUSTRY	EN	12	2	S		ECON COND
WUANTENLY ECONUMIC REV OF BELGIUM LUXEMBURG "	EN	04	1	130	23#	GEOS ECON CONO

LIST OF PERIODICALS CURRENTLY RECEIVED IN BOOK AND PERIODICAL LIBRARY JANUARY 1965

The first part of this list is arranged alphabetically by title and the second part alphabetically by broad subject. Each entry gives the title of the periodical, the language of the text, frequency of publication, period of retention in Army Map Service Book and Periodical Library, areas, and specific subjects concerned. These periodicals are routed upon receipt to interested elements in AMS. After routing, they are available for loan to individuals in AMS or through the Inter-Library Loan procedure to agencies outside AMS.

The list will be revised and issued annually. Inquity concerning the list may be made by AMS personnel by telephoning extension 2527. Other government agencies may call code 140, extension 2317 or 986-2317. Written inquiries should be addressed to:

> **Commanding Officer** Army Map Service ATTN: Library Division 13401 Corps of Engineers, U. S. Army Washington, D. C. 20315

EXPLANATORY NOTES

Title

- Initial articles are omitted.
- 2. The first two words are usually not abbreviated; any other words are abbreviated to shorten the title to fit the space allowed.
- 3. Subtitles are not given unless needed to distinguish between otherwise identical titles.

- 1. No more than two different languages are shown.
- 2. The first language listed is probably the most important or most used in the periodical; the second language may be for abstracts, etc.

	. IOI ADDITACTO, EIC.						
Abbrev	iations used:						
AF	AFRIKAANS	EN	ENGLISH	IN	INDONESIAN	RS	RUSSIAN
AG	AFGHAN	ES	PSTONIAN	!T	ITALIAN		SERBO CROAT
۸L	A LBANIAN	ET	ETHIOPIC	JA	JAPANESE .	SL	SLOVENIAN
AM	AMHARIC	FI	FINNISH	KO	KOREAN	SP	SPANISH
AR	ARABIC	FL	FLEMISH	MO	MONGOLIAN	SW	SWEDISH
BR	BURMESE	FR	FRENCH	NO	NOR WEGIAN	TH	THAI
BU	BULGARIAN	GE	GERMAN	PE	PERSIAN	TI	TIBETIAN
CH	CHINESE	GR	GREEK	. PL	POLISH	TU	TURKISH
CZ	CZECH	HE	HEBREW	PR	PORTUGUESE	UK	UKRAINIAN
DA	DANISH	HU	HUNGARIAN	RM	RUMANEAN	VT	VIETNAMESE
DU	DUTCH	IC	ICELANDIC			UR	URDŲ

Frequency

- 1. Code used:
 - D = Daily
 - IR = Irregular

- SW = Semiweekly or twice a week
- TW = Triweekly or three times a week
- 2. A number indicates the number of times a year the periodical is issued.

Retention

- 1. Code used for AMS retention of periodicals:
 - P = Permanent
 - Number = Number of years
 - X = Less than I year
 - C = Cancelled after routing

- 1. The AMS Library Theater area code is used.
- 2. Only two areas are given; if relative importance can be determined, the more important area is given first.

Subject

- I. Abbreviations are used freely in order to show several subjects. They may vary depending on the space available; for example: The abbreviation for public works may be PUB WKS or P WK.
- 2. Two spaces are used between words to show two subjects, one space indicates one subject either inverted or in running order; for example: Geography, Economic and Current Events.

As an additional aid to research, separate tabulator listings can be supplied for areas, texts, frequency of publication, or retention in AMS Book and Periodical Library.

DOCHMENT COM	
for this classification of the best of above the contract	TROL DATA - R&D
BOOZ ALLEN APPLIED RESEA 4733 Bethesda Avenue Bethesda, Maryland 200	Z' SRO-P
1 CFCORT TITLE	
Map Service, Washington, D	chnical Library, U.S. Army . C. 20315
Final Report of on-s	ite survey
E. Merendini, S. M. Tho	
September, 1966	66 7 0 0
DSA-7-15489	914-1-26
•	The opinion manager (in the control of the control
J	AD 640 121
Distribution of this Docum	ent is unlimited
None	Defense Supply Agency Defense Documentation Center Cameron Station, Virginia

The Army Map Service (AMS) Library uses a Univac 1004 computer to produce map accessions lists and bibliographies from punched cards containing printed text. Also data on a Map Reproduction (Repromat) File are punched onto cards and transferred to magnetic tape on a Honeywell H-800 computer. This tape is used to produce a high-speed printout of the Repromat Tabulation semiannually and a monthly listing to update the semiannual tabulation. It is felt that the mechanized Repromat File system should be modified in a number of ways for greater efficiency.

Sec III	ite C	1.4851	treate	1111

			LIN	K A	LINK B		LINK C	
	KF WORDS		ROLE	*1	noi e	~.	101 4	• 7
							1	
					1 '			
]					
		•					,	
		_						
	rmation Retri			I	1 1			
Dig	ital Computers	5				•		
			,					
							1	
					1 i		1	

INSTRUCTIONS

- OFFIGNATING ACHARDY: Finish the name and infilings of the contractor, subcontractor, growtee, Department of the tensor actually or other organization, improved number) assuing the regist.
- 1. RIPORT SECURITY CLASSIER ATION: Enter the over all society classification of the report. Indicate whether theories tell Data? The included, Making is to be in accordace, with appropriate country regulations.
- 27. GPOUD A or or articless spractures, spreading in D. D. Discotter, 5.90 (40) and Armord Foreign Endostrial Manual, Texture products of the control of the option of the right of the control of the right of the control of the right of the control of the con
- C. REPORT 1311.1. Farer the complete report title in all special terrors. It ricks in all cases, whould be unclassified, at a community to the samed be split ted without classification, who it relies to the distance all capitals in parenthesis or threaty. If it is not tetro.
- to the CRBAPA COLLES of apply pract, cores the type of appearing process of progress, so many anomal, or final, over the one to see these when a specific reporting period in

AUTHORS: Force the number of authors) as shown on a cotto report. Force tast name, first one s, middle initial, to decrease and cold transhot service. The name of the group of cottoo. S as also date someone requirement.

- 34 PORT DATE: Enter the date of the report as day,
 41 (a) a commonly year. If core than one date appears
 to copy at the Cate of publication.
- To ITOTAL NUMBER OF PAGES. The total page count model following read pagenation procedures, a e., enter the score of pages containing information.
- 22. MANGER OF RELEMENCES. Force the 6.62 member of reteriors as a doctor the report.
- CONTRACT OR GRANT NUMBER: If appropriate, enter the action at temperature of the contract or grant under which the report was scritten.
- se A. S.A. PROPOCONUMBER. Deter the appropriate coloring department identification, such as project number, suppropert number, system numbers, rask a set er lets.
- ORGANA (OP'S REPORT NUMBERS). Inter the offical epictual to be which the document will be identified as a correlative the originating activity. This master must a complete the report.
- 6. OFFIRE 6-3 FORT NUMBER So. If the report has been core fonce, their report numbers within the the eriginator collection of the collection of the collection.
- 13. ACAIL APILITY TIMELATION NOTICES. Fater any limitation in Corbin dissominate a of the report other than those

imposed by security classification, using standard statements

- (4) "Qualified requesters may obtain copies of this report from DDC,"
- (2) "Foreign announcement and discensive on of this report by DDC is not authorized."
- (4) III, S. Government agencies may obtain copies of this report directly from DDS. Other qualified DDS users shall request through.
- WES in the tay agencies may obtain copies of this report diencity from DDC. Other qualified users chaff represent through
- "All distributes of this report is controlled, Qualdied DDC over a full request through

If the report has been form then to the title $e \in f$ to him all Serges . The other is the consists of each to the public, indicate the part and enter the price, if known .

- The SUPPLEMENTARY SOLES, Such to additional explanation of the
- 12. SPONSORING MILITARY ACTIVITY. Foresthe mode of the departmental project office or fallocatory sponsoring. Factors for the center bound development. In both address.
- 13. ARSTRACE. Enter an abstract giving a bred and to tool comes by of the document indicative of the report, even though it is a also appear elsewhere in the body of the technical report. If additional space is required a continuous best shall be attributed.

It is highly desirable that the abstract of classified reports be inclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph represented as \$7.50.65. (c) = cc.(D).

There is no limitation in the length of the abstract. However, the suggested length is from 150 to 225 words.

11 KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key or ords must be selt ted so that no security classification is required. Mentifiers such as equipment model designation, trade name, military project code name, geographic focusion, may be used as key wirds but will be followed by an indepation of the him at continut. The assignment of looks index, and weights is optional